Contents of Volume 98

PAGE

BALDI ANTOGNINI, A. and ZAGORAIOU, M. The covariate-adaptive biased coin design for balancing clinical trials in the presence of prognostic factors . . . 519

BALLANI, F. and SCHLATHER, M. A construction principle for multivariate extreme value distributions 633

BANERJEE, M. (See MALLIK, A.)

BATHIA, N. (See LAM, C.)

BELLONI, A., CHERNOZHUKOV, V. and WANG, L. Square-root lasso: pivotal recovery of sparse signals via conic programming 791

BHATTACHARYA, A. and DUNSON, D. B. Sparse Bayesian infinite factor models . . 291

BIEDERMANN, S., DETTE, H. and WOODS, D. C. Optimal design for additive partially nonlinear models 449

BIEN, J. and TIBSHIRANI, R. J. Sparse estimation of a covariance matrix 807

CAI, T. T. (See XIE, J.)

CARDOT, H. and JOSSERAND, E. Horvitz–Thompson estimators for functional data: asymptotic confidence bands and optimal allocation for stratified sampling . . 107

CHAN, K.-S. (See SAMIA, N. I.)

CHAUDHURI, S. and GHOSH, M. Empirical likelihood for small area estimation . . 473

CHAUVEAU, D. (See LEVINE, M.)

CHAUVET, G. DEVILLE, J.-C. and HAZIZA, D. On balanced random imputation in surveys 459

CHEN, H. Y. A unified framework for studying parameter identifiability and estimation in biased sampling designs 163

CHEN, Z., YI, G. Y. and WU, C. Marginal methods for correlated binary data with misclassified responses 647

CHERNOZHUKOV, V. (See BELLONI, A.)

COOK, R. D. (See SU, Z.)

CRESSIE, N. (See HUANG, C.)

D'ARRIGO, J. (See SKINNER, C. J.)

DE LUNA, X., WAERNBAUM, I. and RICHARDSON, T. S. Covariate selection for the nonparametric estimation of an average treatment effect 861

DELLAPORTAS, P. (See PAPATHOMAS, M.)

DETTE, H. (See BIEDERMANN, S.)

DEVILLE, J.-C. (See CHAUVET, G.)

DONOHUE, M. C., OVERHOLSER, R., XU, R. and VAIDA, F. Conditional Akaike information under generalized linear and proportional hazards mixed models . . . 685

DORPH-PETERSEN, K.-A. (See ZIEGEL, J.)

DOUCET, A. (See POYIADJIS, G.)

DRTON, M. and WILLIAMS, B. Quantifying the failure of bootstrap likelihood ratio tests 919
DUNSON, D. B. (See BHATTACHARYA, A.)
DUNSON, D. B. (See PATI, D.)
DUNSON, D. B. (See WANG, L.)
EFRON, B. and ZHANG, N. R. False discovery rates and copy number variation . . 251
ENTSUAH, A. R. (See KIM, H.-J.)
FARCOMENI, A. Recapture models under equality constraints for the conditional capture probabilities 237
FENG, X., HE, X. and HU, J. Wild bootstrap for quantile regression 995
FINOS, L. (See GOEMAN, J. J.)
FIRTH, D. (See KOSMIDIS, I.)
FITZENBERGER, B. (See MAMMEN, E.)
FONSECA, T. C. O. and STEEL, M. F. J. Non-Gaussian spatiotemporal modelling through scale mixing 761
FRIED, R. (See VOGEL, D.)
FURRER, R. and GENTON, M. G. Aggregation-cokriging for highly multivariate spatial data 615
GALLAGHER, C. M. (See KURUWITA, C. N.)
GENTON, M. G., MA, Y. and SANG, H. On the likelihood function of Gaussian max-stable processes 481
GENTON, M. G. (See FURRER, R.)
GHOSH, M. (See CHAUDHURI, S.)
GOEMAN, J. J., VAN HOUWELINGEN, H. C. and FINOS, L. Testing against a high-dimensional alternative in the generalized linear model: asymptotic type I error control 381
GUO, J., LEVINA, E., MICHAILIDIS, G. and ZHU, J. Joint estimation of multiple graphical models 1
GUO, W. (See KRAFTY, R. T.)
HAALAND, B. (See XU, X.)
HANSON, T. E. (See JARA, A.)
HALL, M. (See KRAFTY, R. T.)
HALL, P. and ZIEGEL, J. Distribution estimators and confidence intervals for stereological volumes 417
HAZIZA, D. (See CHAUVET, G.)
HE, X. and QIAN, P. Z. G. Nested orthogonal array-based Latin hypercube designs 721
HE, X. (See FENG, X.)
HOIJTINK, H. (See KUIPER, R. M.)
HSING, T. (See HUANG, C.)
HU, J. (See FENG, X.)
HU, T., NAN, B., LIN, X. and ROBINS, J. M. Time-dependent cross ratio estimation for bivariate failure times 341
HUANG, C., HSING, T. and CRESSIE, N. Nonparametric estimation of the variogram and its spectrum 775
HUANG, C.-Y. and QIN, J. Nonparametric estimation for length-biased and right-censored data 177
HUDGENS, M. G. (See MAATHUIS, M. H.)

HUNTER, D. R. (See LEVINE, M.)
IBRAHIM, J. G. (See ZHU, H.)
JARA, A. and HANSON, T. E. A class of mixtures of dependent tail-free processes . . 553
JENSEN, E. B. V. (See ZIEGEL, J.)
JIN, B. and LO HUANG, M.-N. Construction of ϕ_p-optimal exact designs with minimum experimental run size for a linear log contrast model in mixture experiments 741
JOHNSON, W. (See TRIPPA, L.)
JOSSERAND, E. (See CARDOT, H.)
KAUERMANN, G. and OPSOMER, J. D. Data-driven selection of the spline dimension in penalized spline regression 225
KENT, J. T., MOHAMMADZADEH, M. and MOSAMMAM, A. M. The dimple in Gneiting's spatial-temporal covariance model 489
KIM, H.-J., ENTSUAH, A. R. and SHULTS, J. The union closure method for testing a fixed sequence of families of hypotheses 391
KIM, J. K. Parametric fractional imputation for missing data analysis 119
KOSMIDIS, I. and FIRTH, D. Multinomial logit bias reduction via the Poisson log-linear model 755
KRAFTY, R. T., HALL, M. and GUO, W. Functional mixed effects spectral analysis . . 583
KUIPER, R. M., HOIJTINK, H. and SILVAPULLE, M. J. An Akaike-type information criterion for model selection under inequality constraints 495
KULASEKERA, K. B. (See KURUWITA, C. N.)
KURUWITA, C. N., KULASEKERA, K. B. and GALLAGHER, C. M. Generalized varying coefficient models with unknown link function 701
LAM, C., YAO, Q. and BATHIA, N. Estimation of latent factors for high-dimensional time series 901
LAURITZEN, S. L. (See RAMSAHAI, R. R.)
LEKIVETZ, R. and TANG, B. Robust designs through partially clear two-factor interactions 733
LENG, C. and LI, B. Forward adaptive banding for estimating large covariance matrices 821
LENG, C. (See TANG, C. Y.)
LEVINA, E. (See GUO, J.)
LEVINE, M., HUNTER, D. R. and CHAUVEAU, D. Maximum smoothed likelihood for multivariate mixtures 403
LI, B. (See LENG, C.)
LI, G. and LI, W. K. Testing a linear time series model against its threshold extension . 243
LI, H. (See XIE, J.)
LI, W. K. (See LI, G.)
LI, Y. Efficient semiparametric regression for longitudinal data with nonparametric covariance estimation 355
LI, Z. and MURPHY, S. A. Sample size formulae for two-stage randomized trials with survival outcomes 503
LIN, X. (See HU, T.)
LIN, X. (See SCHWARTZMAN, A.)
LO HUANG, M.-N. (See JIN, B.)
MA, Y. (See GENTON, M. G.)
MAATHUIS, M. H. and HUDGENS, M. G. Nonparametric inference for competing risks current status data with continuous, discrete or grouped observation times . 325

MALLIK, A., SEN, B., BANERJEE, M. and MICHAILIDIS, G. Threshold estimation based on a p-value framework in dose-response and regression settings . . . 887
MAMMEN, E., NIELSEN, J. P. and FITZENBERGER, B. Generalized linear time series regression 1007
MARTIN, R. and TOKDAR, S. T. Semiparametric inference in mixture models with predictive recursion marginal likelihood 567
MARTINUSSEN, T., SCHEIKE, T. H. and ZUCKER, D. M. The Aalen additive gamma frailty hazards model 831
MCCULLOCH, C. E. (See NEUHAUS, J. M.)
MICHAILIDIS, G. (See GUO, J.)
MICHAILIDIS, G. (See MALLIK, A.)
MOHAMMADZADEH, M. (See KENT, J. T.)
MORGAN, J. P. (See WANG, X.)
MOSAMMAM, A. M. (See KENT, J. T.)
MURPHY, S. A. (See LI, Z.)
MÜLLER, P. (See TRIPPA, L.)
NAN, B. (See HU, T.)
NEUHAUS, J. M. and MCCULLOCH, C. E. Estimation of covariate effects in generalized linear mixed models with informative cluster sizes 147
NIELSEN, J. P. (See MAMMEN, E.)
OPSOMER, J. D. (See KAUERMANN, G.)
OPSOMER, J. D. (See WANG, J. C.)
OVERHOLSER, R. (See DONOHUE, M. C.)
PAPATHOMAS, M., DELLAPORTAS, P. and VASDEKIS, V. G. S. A novel reversible jump algorithm for generalized linear models 231
PATI, D., REICH, B. J. and DUNSON, D. B. Bayesian geostatistical modelling with informative sampling locations 35
POYIADJIS, G., DOUCET, A. and SINGH, S. S. Particle approximations of the score and observed information matrix in state space models with application to parameter estimation 65
PRESTON, S. P. and WOOD, A. T. A. Bootstrap inference for mean reflection shape and size-and-shape with three-dimensional landmark data 49
QIAN, P. Z. G. (See HE, X.)
QIAN, P. Z. G. (See XU, X.)
QIN, J. (See HUANG, C.-Y.)
QU, A., YI, G. Y., SONG, P. X.-K. and WANG, P. Assessing the validity of weighted generalized estimating equations 215
RAMSAHAI, R. R. and LAURITZEN, S. L. Likelihood analysis of the binary instrumental variable model 987
REICH, B. J. (See PATI, D.)
RICHARDSON, T. S. (See DE LUNA, X.)
ROBINS, J. M. (See HU, T.)
ROSENBLUM, M. and VAN DER LAAN, M. J. Optimizing randomized trial designs to distinguish which subpopulations benefit from treatment 845
ROTNITZKY, A. (See TCHETGEN TCHETGEN, E. J.)
SAMIA, N. I. and CHAN, K.-S. Maximum likelihood estimation of a generalized threshold stochastic regression model 433
SANG, H. (See GENTON, M. G.)

SCHEIKE, T. H. (See MARTINUSSEN, T.)
SCHLATHER, M. (See BALLANI, F.)
SCHWARTZMAN, A. and LIN, X. The effect of correlation in false discovery rate estimation 199
SEN, B. (See MALLIK, A.)
SHULTS, J. (See KIM, H.-J.)
SIEGMUND, D. O., ZHANG, N. R. and YAKIR, B. False discovery rate for scanning statistics 979
SILVAPULLE, M. J. (See KUIPER, R. M.)
SINGH, S. S. (See POYIADJIS, G.)
SKINNER, C. J. and D'ARRIGO, J. Inverse probability weighting for clustered non-response 953
SONG, P. X.-K. (See QU, A.)
STEEL, M. F. J. (See FONSECA, T. C. O.)
SU, Z. and COOK, R. D. Partial envelopes for efficient estimation in multivariate linear regression 133
TAN, Z. Efficient restricted estimators for conditional mean models with missing data 663
TANG, B. (See LEKIVETZ, R.)
TANG, C. Y. and LENG, C. Empirical likelihood and quantile regression in longitudinal data analysis 1001
TANG, N. (See ZHU, H.)
TCHETGEN TCHETGEN, E. J. and ROTNITZKY, A. On protected estimation of an odds ratio model with missing binary exposure and confounders 749
TIBSHIRANI, R. J. (See BIEN, J.)
TOKDAR, S. T. (See MARTIN, R.)
TRIPPA, L., MÜLLER, P. and JOHNSON, W. The multivariate beta process and an extension of the Polya tree model 17
VAIDA, F. (See DONOHUE, M. C.)
VAN DER LAAN, M. J. (See ROSENBLUM, M.)
VAN HOUWELINGEN, H. C. (See GOEMAN, J. J.)
VASDEKIS, V. G. S. (See PAPATHOMAS, M.)
VOGEL, D. and FRIED, R. Elliptical graphical modelling 935
WAERNBAUM, I. (See DE LUNA, X.)
WANG, J. C. and OPSOMER, J. D. On asymptotic normality and variance estimation for nondifferentiable survey estimators 91
WANG, L. (See BELLONI, A.)
WANG, L. and DUNSON, D. B. Bayesian isotonic density regression 537
WANG, P. (See QU, A.)
WANG, S. (See XU, G.)
WANG, X. and MORGAN, J. P. Blocking, efficiency and weighted optimality . . . 967
WILLIAMS, B. (See DRTON, M.)
WOOD, A. T. A. (See PRESTON, S. P.)
WOODS, D. C. (See BIEDERMANN, S.)
WU, C. (See CHEN, Z.)
WU, W. B. (See ZHANG, T.)
XIE, J., CAI, T. T. and LI, H. Sample size and power analysis for sparse signal recovery in genome-wide association studies 273

Xu, G. and Wang, S. A goodness-of-fit test of logistic regression models for case-control data with measurement error 877
Xu, R. (See Donohue, M. C.)
Xu, X., Haaland, B. and Qian, P. Z. G. Sudoku-based space-filling designs . . . 711
Xue, L. and Zou, H. Sure independence screening and compressed random sensing . 371
Yakir, B. (See Siegmund, D. O.)
Yao, Q. (See Lam, C.)
Yi, G. Y. (See Qu, A.)
Yi, G. Y. (See Chen, Z.)
Zagoraiou, M. (See Baldi Antognini, A.)
Zhang, N. R. (See Efron, B.)
Zhang, N. R. (See Siegmund, D. O.)
Zhang, T. and Wu, W. B. Testing parametric assumptions of trends of a non-stationary time series 599
Zhao, Z. A self-normalized confidence interval for the mean of a class of nonstationary processes 81
Zhu, H., Ibrahim, J. G. and Tang, N. Bayesian influence analysis: a geometric approach 307
Zhu, J. (See Guo, J.)
Ziegel, J., Jensen, E. B. V. and Dorph-Petersen, K.-A. Variance estimation for generalized Cavalieri estimators 187
Ziegel, J. (See Hall, P.)
Zou, H. (See Xue, L.)
Zucker, D. M. (See Martinussen, T.)